



REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
00			24-Jun-20	First offical release	DANIEL
05			09-July-20	Updated IR receiver	Daniel



MATERIAL (SPEC.)										SEE NOTES		SCALE 1:1		 Foxconn Industrial Internet 富士康工业互联网			
FINISH										SEE NOTES		SHEET 1/3					
Select Dim.	A	B	C	EPS	EPE	BAG	CTN	Label	UNIT	PART NAME Main PCB							
0~6	0.05	0.05	0.10					0.20	MM	MODEL Swan sound bar							
6~30	0.10	0.15	0.20	0.50	0.50	3.00		0.20									
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25	SIZE A3	PART NO.		DESIGNED DANIEL					
120~300	0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30		CUSTOMER MODEL		CUSTOMER PART NO.		APPROVED Charge			
300~450	0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50									
450~600	0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80									
DRAFT TOLERANCE				± 0.2°		CRITICAL DIM.				*							

REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
00			24-Jun-20	First official release	DANIEL
05			09-July-20	Updated IR receiver	Daniel



NOTES

- 1.H=3.0MM LIMITED ON SPECIFIED RED LINE AREA TOP LAYER
- 2.H=15MM LIMITED ON TOP LAYER

MATERIAL (SPEC.)										SEE NOTES		SCALE 1:1		 Foxconn Industrial Internet 富士康工业互联网			
FINISH										SEE NOTES		SHEET 2/3					
Select			*									UNIT	PART NAME				
Dim. Tol.	A	B	C	EPS	EPE	BAG	CTN	Label	USR			MM	Main PCB				
0~6	0.05	0.05	0.10										SIZE A3	MODEL	PART NO.	DESIGNED	
6~30	0.10	0.15	0.20	0.50	0.50	3.00								Swan sound bar		DANIEL	
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25						CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED	
120~300	0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30							Charge		
300~450	0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50									
450~600	0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80									
DRAFT TOLERANCE			± 0.2°		CRITICAL DIM.			*									

