






REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
00			11-Aug-20	First official release	DANIEL

THERMAL PAD SHIELD COVER BOTTOM-2

THERMAL PAD SHIELD COVER BOTTOM -1




SECTION A-A



NOTES
MATERIAL - SPTE T=0.20MM
COLOR - NATURAL
FINISH - NONE
NO GREASE AND SHOULD NOT BE RUSTY
DETAIL REFER TO PROVIDED 3D AND UNSPECIFIED RADII R0.20MM
PARTS SHOULD BE COMPLIANT WITH ROHS

MATERIAL (SPEC.)										SEE NOTES		SCALE		 Foxconn Industrial Internet 富士康工业互联网							
FINISH										SEE NOTES		SHEET 1 / 3									
Select Dim.	Tol	A	B	C	EPS	EPE	BAG	CTN	Label	UNIT	PART NAME										
0~6		0.05	0.05	0.10					0.20	MM	MODEL										
6~30		0.10	0.15	0.20	0.50	0.50	3.00		0.20	MM											
30~120		0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25	MM	PART NO.										
120~300		0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30	MM											
300~450		0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50	MM	DESIGNED DANIEL										
450~600		0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80	MM											
DRAFT TOLERANCE				± 0.2°				CRITICAL DIM.				*				CUSTOMER MODEL		CUSTOMER PART NO.		APPROVED	
																Charge					



D		C		B		A
REV.	MARK.	DCR/ECN NO.	DATE	UPDATE DESCRIPTION		SIGNATURE.
00			11-Aug-20	First offical release		Lincoln

1	Thermal conductivity k (W/mk)	≥ 5 (ASTM D5470)
2	Thermal resistance R ($^{\circ}\text{C}/\text{W}$)	≤ 0.80 @ 20psi, $T_h=90^{\circ}\text{C}$ (ASTM D5470 1x1 inch ² test area)
3	Hardness (Shore 00)	40 $\pm$ 5 (ASTM 2240)
4	Color	Dark Gray
5	With Boron nitride filler	No
6	EMI attenuation	None
7	ESD release film(10^7 - $10^{11}\Omega$)	No
8	UL flammability rating	UL94 V0
9	Supplier PN	TBD
10	Foxconn PN	TBD
11	Suplier Product Name(Series)	

SCALE 3.000	 Foxconn Industrial Internet 富士康工业互联网		
SHEET 2/3			
UNIT mm	PART NAME THERMAL PAD SHIELD COVER BOTTOM - I		
SIZE A4	MODEL	PART NO.	DESIGNED Lincoln
	CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED Henry

F		E		D		C		B		A	
				REV.	MARK.	DCR/ECN NO.	DATE	UPDATE DESCRIPTION		SIGNATURE.	
				00			11-Aug-20	First offical release		Lincoln	

4

3

2

1