



D		C		B		A	
REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION		SIGNATURE	
00			10-Aug-20	First official RFQ		DANIEL	




MATERIAL (SPEC.)										SEE NOTES	SCALE 1:1	 Foxconn Industrial Internet			
FINISH										SEE NOTES	SHEET 1 / 4				
Select Dim Tol	A	B	C	EPS	EPE	BAG	CTN	Label	USR	UNIT MM	PART NAME HEAT SPREADER AMP TOP ASSEMBLY				
0~6	0.05	0.05	0.10						0.20	SIZE A3	MODEL K18X001.00	PART NO.	DESIGNED DANIEL		
6~30	0.10	0.15	0.20	0.50	0.50	3.00			0.20		CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED		
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25			SOUND SOUND BAR		Charge		
120~300	0.20	0.30	0.40	1.00	1.00	10.00	0.30								
300~450	0.25	0.40	0.50	2.00	2.00	15.00	0.50								
450~600	0.30	0.50	0.60	3.00	3.00	20.00	0.80								
DRAFT TOLERANCE				± 0.2°				CRITICAL DIM.		*					
D						MARK		C			I	B		A	

D		C		B		A	
REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION			SIGNATURE
00			10-Aug-20				DANIEL



NOTES
MATERIAL AL 1050 T=2.0MM
COLOR- BLACK
FINISH- BLACK ANODIZED
NO DIRT AND SHOULD NOT BE RUSTY
COMPLIANCE WITH ROHS
UNSPECIFIED RADII R=0.20MM

MATERIAL (SPEC.)										SEE NOTES	SCALE	Foxconn Industrial Internet 富士康工业互联网		
FINISH										SEE NOTES	SHEET 2 / 4			
Select Dim Tol	A	B	C	EPS	EPE	BAG	CTN	Label	USR	UNIT MM	PART NAME			
0~6	0.05	0.05	0.10					0.20			HEAT SPREADER AMP TOP			
6~30	0.10	0.15	0.20	0.50	0.50	3.00		0.20		SIZE A3	MODEL	PART NO.	DESIGNED DANIEL	
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25						
120~300	0.20	0.30	0.40	1.00	1.00	10.00	0.30							
300~450	0.25	0.40	0.50	2.00	2.00	15.00	0.50							
450~600	0.30	0.50	0.60	3.00	3.00	20.00	0.80				CUSTOMER MODEL	CUSTOMER PART NO.	APPROVED Charge	
DRAFT TOLERANCE				± 0.2°		CRITICAL DIM.				*				
D		MARK		C		B		A						

