

19-137/R6GHBHC-S1906/2T

Production distribution

www.everlight.com

EVERLIGHT




Silver paste / Insulation paste / Insulation paste - Luminous Intensity

	Min	Avg	Max
R	45.4393	48.90303	50.3239
G	125.3264	139.3013	154.7467
B	20.6654	23.62889	26.2936

R	Min	Max	數量	
min	0	28.5	0	0.00%
N	28.5	45	0	0.00%
P	45	72	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	72	9999	0	0.00%
總數量	1609			

G	Min	Max	數量	%
min	0	112	0	0.00%
R	112	180	1609	100.00%
S	180	285	0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	285	9999	0	0.00%
總數量	1609			




B	Min	Max	數量	%
min	0	14.5	0	0.00%
LA	14.5	22.5	166	10.32%
MA	22.5	36	1443	89.68%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	36	999	0	0.00%
總數量	1609			



All Silver paste - Luminous Intensity

	Min	Avg	Max
R	39.8667	42.09317	43.2412
G	120.1371	153.5149	171.7103
B	15.0161	18.49338	21.6062




R	Min	Max	數量	
min	0	28.5	0	0.00%
N	28.5	45	1529	100.00%
P	45	72	0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	72	9999	0	0.00%
總數量	1529			
G	Min	Max	數量	%
min	0	112	0	0.00%
R	112	180	1529	100.00%
S	180	285	0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	285	9999	0	0.00%
總數量	1529			
B	Min	Max	數量	%
min	0	14.5	0	0.00%
LA	14.5	22.5	1529	100.00%
MA	22.5	36	0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	36	999	0	0.00%
總數量	1529			



Silver paste / Insulation paste / Insulation paste - Dominant Wavelength

	Min	Avg	Max
R	625.4	625.7385	626.6
G	524.6	526.5656	529.1
B	471.3	472.2419	473.3

R	Min	Max	數量	
min	0	616	0	0.00%
---	616	632	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	632	9999	0	0.00%
總數量	1609			
G	Min	Max	數量	%
min	0	515	0	0.00%
---	515	535	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	535	9999	0	0.00%
總數量	1609			
B	Min	Max	數量	%
min	0	460	0	0.00%
---	460	475	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	475	999	0	0.00%
總數量	1609			



All Silver paste - Dominant Wavelength

	Min	Avg	Max
R	621.7	621.9353	622.3
G	526.6	528.4665	530
B	466.9	468.0678	468.7

R	Min	Max	數量	
min	0	616	0	0.00%
---	616	632	1563	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	632	9999	0	0.00%




總數量 1563

G	Min	Max	數量	%
min	0	515	0	0.00%
---	515	535	1563	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	535	9999	0	0.00%

總數量 1563

B	Min	Max	數量	%
min	0	460	0	0.00%
---	460	475	1563	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	475	999	0	0.00%




總數量 1563



Silver paste / Insulation paste / Insulation paste - Forward Voltage

	Min	Avg	Max
R	1.8517	1.872076	1.8893
G	2.8644	2.956362	3.0429
B	2.8681	2.896669	2.9125




R	Min	Max	數量	
min	0	1.6	0	0.00%
---	1.6	2.2	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	2.2	9999	0	0.00%
總數量	1609			
G	Min	Max	數量	%
min	0	2.5	0	0.00%
---	2.5	3.3	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	3.3	9999	0	0.00%
總數量	1609			
B	Min	Max	數量	%
min	0	2.4	0	0.00%
---	2.4	3.2	1609	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	3.2	999	0	0.00%
總數量	1609			



All Silver paste - Forward Voltage

	Min	Avg	Max
R	1.8277	1.848544	1.8707
G	2.8151	2.88698	2.9726
B	2.7608	2.870259	2.898

R	Min	Max	數量	
min	0	1.6	0	0.00%
---	1.6	2.2	1578	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	2.2	9999	0	0.00%
總數量	1578			
G	Min	Max	數量	%
min	0	2.5	0	0.00%
---	2.5	3.3	1578	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	3.3	9999	0	0.00%
總數量	1578			
B	Min	Max	數量	%
min	0	2.4	0	0.00%
---	2.4	3.2	1578	100.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
			0	0.00%
MAX	3.2	999	0	0.00%
總數量	1578			



Conclusion:

- The photoelectric properties of the silver paste insulating paste meet the specifications, and there is no difference with the whole silver paste °