

Test Report

No. CRSSA/08439/18 Date : 27/06/2018
CRS Ref. CRSSA/18/1608/Hitachi

Page: 1 of 7

HITACHI CHEMICAL (SELANGOR) SDN. BHD.
NO. 2, PERSIARAN BUDIMAN, SEKSYEN 23,
40300 SHAH ALAM, SELANGOR DARUL EHSAN

The following merchandise was (were) submitted and identified by the client as:

Sample Description	:	EPOXY MOLDING COMPOUND
Style/Item No.	:	GE-200 Series
Sample Receiving Date	:	21/06/2018
Testing Period	:	21/06/2018 to 27/06/2018

Test Requested	:	Selected test(s) as requested by client
Test Method	:	Please refer to next page(s).
Test Results	:	Please refer to next page(s).
Analysts	:	Tan Mei Ann, Ling Yii Ming & Nurfarahima Ibrahim

SGS (MALAYSIA) SDN. BHD.



CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com

Test Report

No. CRSSA/08439/18 Date : 27/06/2018
CRS Ref. CRSSA/18/1608/Hitachi

Page: 2 of 7

Test results:

Test Part Description :

Sample Description : EPOXY MOLDING COMPOUND
Style/Item No. : GE-200 Series

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL	Limit
Cadmium (Cd)	ppm	With reference to IEC 62321-5:2013 (Determination of Cd by ICP-OES)	N.D.	2	100
Lead (Pb)	ppm	With reference to IEC 62321-5:2013 (Determination of Pb by ICP-OES)	N.D.	2	1000
Mercury (Hg)	ppm	With reference to IEC 62321-4:2013/AMD 1:2017 (Determination of Hg by ICP-OES)	N.D.	2	1000
Hexavalent Chromium (CrVI)	ppm	With reference to IEC 62321-7-2:2017 (Determination of CrVI by UV-Vis)	N.D.	8	1000
Sum of PBBs	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	-	1000
Monobromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Dibromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Tribromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Tetrabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Pentabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Hexabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Heptabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Octabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Nonabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-
Decabromobiphenyl	ppm	With reference to IEC 62321-6:2015 (Determination of PBB by GC-MS)	N.D.	5	-

SGS (MALAYSIA) SDN. BHD.



CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com

Test Report

No. CRSSA/08439/18

Date : 27/06/2018

Page: 3 of 7

CRS Ref. CRSSA/18/1608/Hitachi

Sum of PBDEs	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	-	1000
Monobromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Dibromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Tribromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Tetrabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Pentabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Hexabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Heptabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Octabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Nonabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-
Decabromodiphenyl ether	ppm	With reference to IEC 62321-6:2015 (Determination of PBDE by GC-MS)	N.D.	5	-

Note : (a) mg/kg = ppm ; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = not regulated

(e) Testing based on original basis

SGS (MALAYSIA) SDN. BHD.



CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com

Test Report

No. CRSSA/08439/18 Date : 27/06/2018
CRS Ref. CRSSA/18/1608/Hitachi

Page: 4 of 7

Test results by chemical method:

Test Item (s):	Unit	Method	Results	MDL
Antimony (Sb)	mg/kg	ICP-OES as per US EPA 3052 (acid digestion method)	N.D.	2
Halogen	---	---	---	---
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582:2016. Analysis was performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (Cl)	mg/kg	With reference to BS EN 14582:2016. Analysis was performed by IC method for Chlorine content.	115	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582:2016. Analysis was performed by IC method for Bromine content.	N.D.	50
Halogen-Iodine (I)	mg/kg	With reference to BS EN 14582:2016. Analysis was performed by IC method for Iodine content.	N.D.	50

Test Part Description:

Sample Description : EPOXY MOLDING COMPOUND
Style/Item No. : GE-200 Series

Note : (a) mg/kg = ppm
(b) N.D. = Not Detected
(c) MDL = Method Detection Limit
(d) --- = Not Conducted
(e) Testing is based on original basis

SGS (MALAYSIA) SDN. BHD.



CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com

Test Report

No. CRSSA/08439/18 Date : 27/06/2018
CRS Ref. CRSSA/18/1608/Hitachi

Page: 5 of 7

Test Part Description :

Sample Description : EPOXY MOLDING COMPOUND
Style/Item No. : GE-200 Series

HITACHI CHEMICAL (SELANGOR) SDN. BHD.
CRSSA/08439/18



SGS authenticate the photo on original report only

SGS (MALAYSIA) SDN. BHD.




CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com

Test Report

No. CRSSA/08439/18

Date : 27/06/2018

Page: 6 of 7

CRS Ref. CRSSA/18/1608/Hitachi

1. DETERMINATION OF CADMIUM CONTENT BY

IEC 62321-5 2013

Sample Receiving and Registration
↓
Sample Preparation
↓
Weight sample (0.2-0.5g) into digestion vessel
↓
Acid digestion (Microwave)
↓
"Totally Dissolved"
↓
Filtration
↓
Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY

IEC 62321-5 2013

Sample Receiving and Registration
↓
Sample Preparation
↓
Weight sample (0.2-0.5g) into digestion vessel
↓
Acid digestion (Microwave)
↓
"Totally Dissolved"
↓
Filtration
↓
Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321-4 2013/AMD 1 2017

Sample Receiving and Registration
↓
Sample Preparation
↓
Weight sample (0.1-0.5g) into digestion vessel
↓
Acid digestion (Microwave)
↓
"Totally Dissolved"
↓
Filtration
↓
Analyses by ICP

4a. DETERMINATION OF HEXAVALENT CHROMIUM

BY IEC 62321-7-2 2017 (Other Materials)

Sample Preparation
↓
Digestion at 150~160°C
↓
Separating To Obtain Aqueous Phase
↓
pH Adjustment
↓
Add Diphenyl-Carbazide for Color Development
↓
Analyses by UV- Spectrophotometer (540 nm)

4b. DETERMINATION OF HEXAVALENT CHROMIUM

BY IEC 62321-7-2 2017 (Soluble Polymers)

Sample Preparation
↓
Add Digestion Solution
↓
Ultrasonicate Sample
↓
pH Adjustment
↓
Add Diphenyl-Carbazide for Color Development
↓
Analyses by UV- Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS

BY IEC 62321-6 2015

Sample Preparation
↓
Weight sample (0.5-4.0g) into extraction thimble
↓
Soxhlet Extraction with Toluene
↓
Filter through 0.45 um membrane filter
↓
Analyses by GC-MS (with appropriate dilution)

SGS (MALAYSIA) SDN. BHD.



CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com

6. MICROWAVE ASSISTED ACID DIGESTION OF SILICEOUS AND ORGANICALLY BASED METRICES (US EPA 3052)

Sample Preparation
↓
Weight sample (0.2-0.5g) into digestion vessel
↓
Acid digestion (HF and HNO₃) – Microwave
↓
"Totally Dissolved"
↓
Filtration
↓
Analyses by ICP

7. DETERMINATION OF HALOGEN CONTENT BY EN 14582 2016

Sample pretreatment
↓
Weighting and putting sample in cell
↓
Combustion / Absorption
↓
Dilution to fixed volume
↓
Analyses by IC

**** End of Report ****

SGS (MALAYSIA) SDN. BHD.



CHEE TUCK CHOON
B.Sc. MMIC
SECTION HEAD

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for seven days (perishable food sample) or three months only.

SGS (Malaysia) Sdn. Bhd.
(Company No. 10871-T)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia
t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com