

Nanning Fu Gui

Precision IND. CO., LTD.

B39 No.51, Tongle Road,
Jiangnan District, Nanning City,
GuangXi Province,
Tel: +86771-5086999-30659

Reliability Test Report for T99X171.00

Prepared by

Eason He

Test Engineer, HWQA Engineering Dept.

Checked by

Hung-te Lee

Supervisor, HWQA Engineering Dept.

Approved by

Marble Chang

Manager, HWQA Engineering Dept.

Revision Change History

Revision	Description of Change	Date
1.0	Initial Release	2019/05/23

Notice:

All rights reserved. Except for distribution within company that authorized by Foxconn, passing on and copying of this document, use and communication of its contents with the third party is not permitted without written authorization from Fu Gui PRECISION IND. CO., LTD.

Table of Contents

Table of Contents..... 1

Scope 2

Purpose 2

Table of Testing Results Summary 2

UUT Description..... 2

1. Button Life Test..... 3

Scope

This document describes the performance requirements, validation criteria, and the validation tests which focus on T99X171.00 product.

Purpose

1. Provide a formal functional demonstration of the product design reliability.
2. Identify any design discrepancies.
3. Reliability assurance of trial samples which are designed and fabricated in accordance with the customer's product specifications.
4. Conduct robustness testing on early production samples in accordance to customer's product testing specification.

Table of Testing Results Summary

NO.	Test Item	Test Result
1	Button Life Test	Pass

UUT Description

The Unit under Test (UUT) information is described in the following photos.



1. Button Life Test

Purpose:

Simulate the normal user usage to demonstrate that the button can withstand mechanical cycling straight pressure.


Quantity: 1 unit

Test Objective:

Test cycles: 5000 cycles for each button (Channel up and channel down), 10000 cycles in total.

Test speed: 10cycles/min.

Test Picture:



Test Procedure:

1. Perform functional check and visual inspection on UUTs before test, and make sure the button can work normally.
2. Press and release the button by Button Life Tester, repeat the action for 5000 cycles with speed of 10cycles/min, check the function after test.

Pass Criteria:

The button still can work normally after test, and it doesn't cause any damage to key itself.

Test Result: **Pass**